


Best
mmmilking
solutions

 **spaggiari**
rubber professional solutions



Beyond Quality.

 **spaggiari**



Spaggiari Industria Gomma is an Italian company with headquarters in the heart of Emilia Romagna.

The expertise and skill acquired in 60 years has put Spaggiari in the fore on both the national and international scene as a benchmark in processing and supplying rubber products.

Quality since 1953

Company Values

The values that we appreciate in people, their willingness, dedication, loyalty, tenacity and constant advancement inspire our attitude and way of being each and every day.

Mission

To produce articles in natural, synthetic and silicone rubber and in fluorinated elastomer to the customer's specific requirements or selectable from our standard product range.



60 *since*
1953



Made in Italy

*Best
mmmmilking
solutions*

Index.

What are you looking for?



Milking liners cows & buffaloes

	page
adaptable Boumatic*	13
adaptable DairyMaster	15
adaptable Delaval	16
adaptable Fullwood	28
adaptable Gascoigne	32
adaptable Hosier	36
adaptable Impulsa	37
Italian Style	38
adaptable Lely	38
adaptable Manus	39
adaptable Meltec	42
adaptable Miele	42
adaptable Milfos	43
adaptable National	43
adaptable Orion	43
adaptable Russian Style	44
adaptable Sac-Christensen	44
adaptable Strangko	47
adaptable Surge	49
adaptable Tecnozoo	50
adaptable Waikato	51
adaptable Gea-Westfalia	51



Milking liners sheep & goats


	57
adaptable Delaval	58
adaptable Fullwood	60
adaptable Gascoigne	61
adaptable Manus	61
adaptable Sac-Christensen	61
original Spaggiari	62
adaptable Gea-Westfalia	63



Liner accessories 64-66



Jetter cups, sprayers&deviators 67-70



Short tubes 71-74



Tubes 75-85



Gaskets 86-91



Fittings 92-95



Membranes 96-99



Stoppers 100-102



Valves 103-105



Filters 107-109



Milk meter 111-114 maintenance kit



Robots 115-117



spaggiari



*Spaggiari items are NOT original but interchangeable. References to other manufacturers by their company names, trademarks or product references are for the item identification purposes and adaptability OF SPAGGIARI'S SPARE PARTS with such products and does not indicate that Spaggiari has received approval from or the authorization of such third parties to produce or distribute such products. Trademarks, company names and product (not Spaggiari), are property of their respective owners and used in compliance to art. 21 clause 1 c) CPI.

*I prodotti Spaggiari sono parti di ricambio adattabili. Qualsiasi riferimento ad altri nomi di produttori originali, marchi e nomi di prodotti originali o riferimenti è da intendersi ai fini di identificare la compatibilità della parte di ricambio Spaggiari con detti prodotti e non implica che Spaggiari abbia ricevuto l'approvazione o autorizzazione da detti produttori originali a produrre e distribuire detti prodotti. Marchi e nomi di prodotti non Spaggiari, sono da intendersi proprietà degli stessi ed utilizzati come solo riferimento in conformità Art. 21 comma 1 c) CPI.

TimePro.

That's why TimePro is the best choice you can do!



The very first technically advanced mix, that guarantees an average lifetime of 1,000 milking hours or 3,000 milkings.



Our product is the result of specific and thorough know-how in the field, strengthened by more than 60 years of researches.



Robotising the production chain makes for an even more reliable work cycle and the total control of the whole production cycle allows us to have a continuous feedback system so that each single point of the production process can be monitored and improved upon.

Thanks to researches, investments and methods we have developed a product that sees its maximum assertion in the TimePro mix.

*Amazing
performance,
this is TimePro.*




Why 3,000 milkings instead of 2,500?

- Reduced costs for the renewal of the liners
- Less splittings = Better antibacteria
- Constant performance



A new compound dedicated to milking, offering **20% greater performance** compared to the standard types that can be found on the market.

Tests show that deterioration of the TimePro mix is delayed compared to the standard liners found on the market, as can be seen in the table below.



New TimePro liner



TimePro after 2,500 milkings



TimePro after 3,000 milkings



Certifications.

Spaggiari is a certified choice!

We have acquired the most important company, process and product certifications as a proof of our constant commitment and high level of skills.



ISO 9001 certification demonstrates that the company's quality management system has been recognised as conforming to a standard of excellence.



Product in compliance to the EU foodstuff regulations no. 1935/2004 of the European Parliament and of the Council dated 27 October 2004.



Code 'Ral D-2'
Spaggiari Industria Gomma.



Product compliant to the European legislation.



Product conforming to the BfR European Standard (Chap. XXI, cat. 3).



Product conforming to the BfR European Standard (Chap. XXI, cat. 3).

Made in Italy



The presence of our trademark certifies that the design and implementation complies with the EU directives 2002/72/EC and 76/769/EC regarding the restriction on the use of polyvinyl chloride (PVC), vinyl chloride and mixes of PVC and 7P phthalates.

NO
PHthalATES
Spaggiari does not use phthalates.



Use & maintenance.

How to keep perfect your Spaggiari milking liners.

Installation instruction:

Check for shell casings and claws, which must not show sharp sides that can damage the liner's wall.

Check for any foreign objects inside the liner and soak them in hot water for a few minutes.

Fit the liner inside the shell and pull hard.

For the "long" liners (with tail) make sure that the indicators are aligned in position on the same vertical axis, thus preventing twisting of the liner inside the shell.



Suggestions:

1. Every day, check the regular use and proper cleaning of the products in use.
2. Avoid combinations of different detergents, highgrade acid detergent.
3. Cleaning products left for an extended period of time in contact with the liner leads to the degrade of the material.
4. Do not expose the product to: sharp objects, organic wastes, grease, oil, direct sunlight, extreme temperatures, ozone.
5. Store products in a fresh, dry place away from direct sunlight, heat and corrosive substances.



IMPORTANT: In case of inappropriate use of spare parts the warranty provided by Spaggiari Industria Gomma srl shall not be effective.



Cows & Buffaloes milking liners

Rubber and silicone milking performances.

Thanks to **TimePro©** compound,
specifically engineered for dairy, black rubber liner
guarantees an average lifetime of
1,000 milking hours or 3,000 milking cycles.

**20% more
compared to the standard
offered by the market.**



spaggiari

BOUMATIC* ADAPTABLE

cod. 0000/0486

adapt. DK1F* \ 8506752 \ 8506718

TIMEPRO®



BOUMATIC* ADAPTABLE

cod. 0000/0561

adapt. DK1X*

TIMEPRO®



BOUMATIC* ADAPTABLE

cod. 0000/0562

adapt. R-1C*

TIMEPRO®



BOUMATIC* ADAPTABLE

cod. 0000/0661

adapt. R1EX*

TIMEPRO®




BOUMATIC* ADAPTABLE

cod. 0000/0674

adapt. DKFM*

TIMEPRO®



BOUMATIC* ADAPTABLE

BOUMATIC* ADAPTABLE



cod. 0000/0689

adapt. DK1X*

TIMEPRO®




BOUMATIC* ADAPTABLE



cod. 0000/0703

adapt. MAGNUM 400MX*

TIMEPRO®




BOUMATIC* ADAPTABLE



cod. 0000/0703-1

adapt. MAGNUM 400MX*

TIMEPRO®



BOUMATIC* ADAPTABLE



cod. 0000/0730

adapt. FLEX 60*

TIMEPRO®



BOUMATIC* ADAPTABLE



Air vent is useful for stabilizing vacuum fluctuations avoiding the milk reflux.

*Spaggiari items are NOT original but interchangeable. References to other manufacturers by their company names, trademarks or product references are for the item identification purposes and adaptability OF SPAGGIARI'S SPARE PARTS with such products and does not indicate that Spaggiari has received approval from or the authorization of such third parties to produce or distribute such products. Trademarks, company names and products (not Spaggiari), are property of their respective owners and used in compliance to art. 21 clause 1 c) CPI. *I prodotti Spaggiari sono parti di ricambio adattabili. Qualsiasi riferimento ad altri nomi di produttori originali, marchi e nomi di prodotti originali o riferimenti è da intendersi ai fini di identificare la compatibilità della parte di ricambio Spaggiari con detti prodotti e non implica che Spaggiari abbia ricevuto l'approvazione o autorizzazione da detti produttori originali a produrre e distribuire detti prodotti. Marchi e nomi di prodotti non Spaggiari, sono da intendersi proprietà degli stessi ed utilizzati come solo riferimento in conformità Art. 21 comma 1 c) CPI.

DAIRYMASTER ADAPTABLE

cod. 0000/0699

adapt. 916S

TIMEPRO®



DAIRYMASTER ADAPTABLE

cod. 0000/0699-1

adapt. 916S

TIMEPRO®



DAIRYMASTER ADAPTABLE

cod. 0000/0722

adapt. 916SL

TIMEPRO®



DAIRYMASTER ADAPTABLE

cod. 0000/0734

adapt. 918701

TIMEPRO®



DAIRYMASTER ADAPTABLE



The **SCS system**, the three rings on the liner's body, has been conceived with the aim to limit the compression of the udder, allowing a milking with the minimum stress.

DELAVAL ADAPTABLE

cod. 0000/0108

adapt. 960000-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/108SL

adapt. 960000-01

SILICONE



DELAVAL ADAPTABLE

cod. 0000/0108L

adapt. 960000-02

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0108M

adapt. 960000-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/108MSL

adapt. 960000-01

SILICONE



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0108ML

adapt. 960000-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0108ML-1

adapt. 960000-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0156

adapt. 960016-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/609SL

adapt. 960016-01

SILICONE



DELAVAL ADAPTABLE

cod. 0000/609MSL

adapt. 960016-01

SILICONE



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0157

adapt. 960017-01

TIMEPRO®





DELAVAL ADAPTABLE

cod. 0000/157SL

adapt. 960017-01

SILICONE



DELAVAL ADAPTABLE

cod. 0000/0199

adapt. 960008-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0202

adapt. BOSIO / IRLANDA

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0202M

adapt. BOSIO / IRLANDA

TIMEPRO®



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0206

adapt. 960007-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0212

adapt. 960002-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0213

adapt. 727537-01 \ 928178-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0236

adapt. 960016-83

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0236-1

adapt. 960016-83

TIMEPRO®



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0236M

adapt. 960016-83

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0241

adapt. 960001-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0247

adapt. 960017-83

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0179/0247

adapt. 960017-81

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0248

adapt. 960018-83

TIMEPRO®



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0266

adapt. 960017-02

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0266M

adapt. 960017-02

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0287

adapt. 960001-04

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0320

adapt. 960016-83

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0320M

adapt. 960016-83

TIMEPRO®



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0325

adapt. 960036-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/325SL

adapt. 960036-01

SILICONE



DELAVAL ADAPTABLE

cod. 0000/0441

adapt. 960016-01

TIMEPRO®




DELAVAL ADAPTABLE

cod. 0000/0444-1

adapt. 999009-03

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0444

adapt. 999009-01

TIMEPRO®



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/444SL

adapt. 999009-01

SILICONE



DELAVAL ADAPTABLE

cod. 0000/0599

adapt. 999007-03

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0493

adapt. 985008-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0549

adapt. 999008-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0714

adapt. 964008-01

TIMEPRO®



DELAVAL ADAPTABLE



DELAVAL ADAPTABLE

cod. 0000/0590

adapt. 999007-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0598

adapt. 999008-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0641

adapt. 960037-02

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0647

adapt. 960037-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/655SL

adapt. 999008-01 \ 964008-01

SILICONE



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0656

adapt. 999006-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0657

adapt. 964007-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0659

adapt. 928328-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/659SL

adapt. 928328-01

SILICONE



DELAVAL ADAPTABLE

cod. 0000/0668

adapt. 999009-01

TIMEPRO®



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/0671

adapt. 960199-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0672

adapt. 990666-01 \ 906836-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0675

adapt. 990777-01 \ 906837-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0680

adapt. 927259-01

TIMEPRO®



DELAVAL ADAPTABLE

cod. 0000/0682

adapt. 2100

TIMEPRO®



DELAVAL ADAPTABLE

DELAVAL ADAPTABLE

cod. 0000/700SL

adapt. 960016-01

SILICONE



NEW

DELAVAL ADAPTABLE



cod. 0000/0704

adapt. 999004-01

TIMEPRO®



NEW

DELAVAL ADAPTABLE



cod. 0000/0733

adapt. 918701

TIMEPRO®



NEW

DELAVAL ADAPTABLE

*Spaggiari items are NOT original but interchangeable. References to other manufacturers by their company names, trademarks or product references are for the item identification purposes and adaptability OF SPAGGIARI'S SPARE PARTS with such products and does not indicate that Spaggiari has received approval from or the authorization of such third parties to produce or distribute such products. Trademarks, company names and products (not Spaggiari), are property of their respective owners and used in compliance to art. 21 clause 1 c) CPI.
 *I prodotti Spaggiari sono parti di ricambio adattabili. Qualsiasi riferimento ad altri nomi di produttori originali, marchi e nomi di prodotti originali o riferimenti è da intendersi ai fini di identificare la compatibilità della parte di ricambio Spaggiari con detti prodotti e non implica che Spaggiari abbia ricevuto l'approvazione o autorizzazione da detti produttori originali a produrre e distribuire detti prodotti. Marchi e nomi di prodotti non Spaggiari, sono da intendersi proprietà degli stessi ed utilizzati come solo riferimento in conformità Art. 21 comma 1 c) CPI.

FULLWOOD ADAPTABLE



cod. 0000/0143

adapt. 20134-SL2CT

TIMEPRO®



FULLWOOD ADAPTABLE



cod. 0000/0143M

adapt. 20134

TIMEPRO®



FULLWOOD ADAPTABLE



cod. 0000/0175

adapt. 20114

TIMEPRO®



FULLWOOD ADAPTABLE



cod. 0000/0259

adapt. SL1

TIMEPRO®



FULLWOOD ADAPTABLE



cod. 0000/0268

adapt. 20138

TIMEPRO®



FULLWOOD ADAPTABLE

FULLWOOD ADAPTABLE

cod. 0000/0268TV

adapt. 20137 \ SL2 CTF

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0272

adapt. 20122 \ SL2

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0477

adapt. 20227

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0477-1

adapt. 20227

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0479

adapt. 20215

TIMEPRO®



FULLWOOD ADAPTABLE

FULLWOOD ADAPTABLE

cod. 0000/0479-1

adapt. 20215

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0481

adapt. 20167 \ FL7W

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0501

adapt. 20154 \ 20168WT \ FL10W

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0555

adapt. 20146 \ FL7S

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0556

adapt. 20168 \ FL7W WT

TIMEPRO®



FULLWOOD ADAPTABLE

Spaggiari Industria Gomma

FULLWOOD ADAPTABLE

cod. 0000/0557

adapt. 20169 \ FL7S WT

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0591

adapt. 020168-SL2 CFT WT

TIMEPRO®



FULLWOOD ADAPTABLE

cod. 0000/0732

adapt. 20215

TIMEPRO®



FULLWOOD ADAPTABLE



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0147 **cod. 0000/0147M**

adapt. 381169

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0148

adapt. 381416

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/148SL

adapt. 381416

SILICONE



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0574

adapt. 381416

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0201

adapt. MK2

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0202

adapt. 1030

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0202M

adapt. 1030

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0244

adapt. 1010

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0331

adapt. 278720 \ 998228-01

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0331M

adapt. 278720

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0358

adapt. T54/L - 381254

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0361

adapt. 381130

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0491

adapt. 381989

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0492

adapt. 381985

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0518

adapt. 381981 - MK2

TIMEPRO®




GASCOIGNE MELOTTE ADAPTABLE

GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0518M

adapt. 381981 - MK2

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0526

adapt. 381986

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0528

adapt. 381988

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0528-1SL

adapt. 381988

SILICONE



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0532

adapt. 381995

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

GASCOIGNE MELOTTE ADAPTABLE \ HOSIER ADAPTABLE

cod. 0000/0544

adapt. MK3-FLEXHEAD

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0558

adapt. 381987

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0587

adapt. MK2

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0644

adapt. 381922

TIMEPRO®



GASCOIGNE MELOTTE ADAPTABLE

cod. 0000/0371

adapt. HOSIER

TIMEPRO®



HOSIER ADAPTABLE

IMPULSA ADAPTABLE

cod. 0000/0595-1

adapt. NW23

TIMEPRO®



IMPULSA ADAPTABLE

cod. 0000/0596

adapt. NW25

TIMEPRO®



IMPULSA ADAPTABLE

cod. 0448/0001

adapt. NW23

TIMEPRO®



IMPULSA ADAPTABLE

cod. 0448/0002

adapt. NW25

TIMEPRO®



IMPULSA ADAPTABLE

ITALIAN STYLE / LELY ADAPTABLE

cod. 0000/0029
mod. BABY

TIMEPRO®



ITALIAN STYLE



cod. 0000/0114
mod. BABY

TIMEPRO®



ITALIAN STYLE



cod. 0000/0552
mod. BABY

TIMEPRO®



ITALIAN STYLE



cod. 0000/0611
adapt. LELY

SILICONE



LELY ADAPTABLE



cod. 0000/0735
adapt. LELY

SILICONE



LELY ADAPTABLE



MANUS ADAPTABLE

cod. 0000/0141

adapt. 957716

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0142

adapt. 957706

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0171

adapt. 957713

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0174

adapt. 958123

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0243

adapt. 955390-80

TIMEPRO®



MANUS ADAPTABLE



MANUS ADAPTABLE



cod. 0000/0352

adapt. 955507

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0397

adapt. 955703

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0505

adapt. 955897-01

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0534

adapt. 955875

TIMEPRO®



MANUS ADAPTABLE



cod. 0000/0535

adapt. 901031-80

TIMEPRO®



MANUS ADAPTABLE

MANUS ADAPTABLE

cod. 0000/0642

adapt. 901029-01

TIMEPRO®



MANUS ADAPTABLE

cod. 0000/0643

adapt. 901163-01

TIMEPRO®



MANUS ADAPTABLE

cod. 0000/0645

adapt. 901197-01

TIMEPRO®



MANUS ADAPTABLE

MELTEC ADAPTABLE / MIELE ADAPTABLE

cod. 0000/0628
 adapt. 7720.2522.680

TIMEPRO®



MELTEC ADAPTABLE



cod. 0000/0149
 adapt. 23178-01

TIMEPRO®



MIELE ADAPTABLE



cod. 0000/0164
 adapt. 68278

TIMEPRO®



MIELE ADAPTABLE



cod. 0000/164SL
 adapt. 68278

SILICONE



MIELE ADAPTABLE



cod. 0000/0462
 adapt. 68278

TIMEPRO®



MIELE ADAPTABLE



MILFOS ADAPTABLE / NATIONAL ADAPTABLE / ORION ADAPTABLE

cod. 0000/0697

adapt. 1020L

TIMEPRO®



MILFOS ADAPTABLE

cod. 0000/0154

adapt. NATIONAL

TIMEPRO®



NATIONAL ADAPTABLE



cod. 0000/0669

adapt. K23

TIMEPRO®



ORION ADAPTABLE

cod. 0082/0005

adapt. EUR OR1

TIMEPRO®



ORION ADAPTABLE



cod. 0082/0010

adapt. N3B

TIMEPRO®



ORION ADAPTABLE



RUSSIAN STYLE ADAPTABLE / SAC-CHRISTENSEN ADAPTABLE

cod. 0000/0663

adapt. дп041А

TIMEPRO®



RUSSIAN STYLE ADAPTABLE

cod. 0000/0168

adapt. 252.15.007

TIMEPRO®



SAC-CHRISTENSEN ADAPTABLE

cod. 0000/0306

adapt. 252.15.010

TIMEPRO®



SAC-CHRISTENSEN ADAPTABLE

cod. 0000/0336

adapt. 252.15.007

TIMEPRO®




SAC-CHRISTENSEN ADAPTABLE

cod. 0000/336SL

adapt. 252.15.007

SILICONE



SAC-CHRISTENSEN ADAPTABLE

SAC-CHRISTENSEN ADAPTABLE

cod. 0000/0443

adapt. 252.15.012

TIMEPRO®



cod. 0000/0529

adapt. 252.15.010

TIMEPRO®



cod. 0000/529SL

adapt. 252.15.010

SILICONE



cod. 0000/0567

adapt. 252.15.012


TIMEPRO®



cod. 0000/567SL

adapt. 252.15.012

SILICONE



SAC-CHRISTENSEN ADAPTABLE

cod. 0000/0568

adapt. 252.15.013

TIMEPRO®



cod. 0000/0638

adapt. 252.15.020

TIMEPRO®



cod. 0000/0639

adapt. 252.15.022

TIMEPRO®



cod. 0179/0151

adapt. 252.15.004

TIMEPRO®



cod. 0274/0151

adapt. 252.15.004


TIMEPRO®



STRANGKO ADAPTABLE


cod. 0000/0359
adapt. 3423001

TIMEPRO®




cod. 0000/0432
adapt. 3426010-01

TIMEPRO®




cod. 0000/0433
adapt. 3426009

TIMEPRO®




cod. 0000/0497
adapt. 3423007

TIMEPRO®



cod. 0000/0502
adapt. 3423005

TIMEPRO®



Our spare parts are NOT ORIGINAL but interchangeable. Original numbers and descriptions used in this catalogue are for reference purpose only.

STRANGKO ADAPTABLE

cod. 0000/0600

adapt. 3426018

TIMEPRO®



STRANGKO ADAPTABLE

cod. 0000/600SL

adapt. 3426018



STRANGKO ADAPTABLE

cod. 0000/0652

adapt. 3426009

TIMEPRO®



STRANGKO ADAPTABLE

cod. 0000/0677

adapt. 3426008

TIMEPRO®



STRANGKO ADAPTABLE

cod. 0000/0702

adapt. 3426024

TIMEPRO®



STRANGKO ADAPTABLE

SURGE ADAPTABLE

cod. 0000/0195

adapt. 10037

TIMEPRO®



SURGE ADAPTABLE

cod. 0000/0304

adapt. 10067

TIMEPRO®



SURGE ADAPTABLE

cod. 0000/500TV

adapt. 10025

TIMEPRO®




SURGE ADAPTABLE

cod. 0000/0504

adapt. 10048

TIMEPRO®




SURGE ADAPTABLE

cod. 0000/0573

adapt. 10062

TIMEPRO®



SURGE ADAPTABLE

Our spare parts are NOT ORIGINAL but interchangeable. Original numbers and descriptions used in this catalogue are for reference purpose only.

SURGE ADAPTABLE / TECNOZOO ADAPTABLE

cod. 0000/0575

adapt. 10067

TIMEPRO®



SURGE ADAPTABLE



cod. 0000/0619

adapt. 10029

TIMEPRO®



SURGE ADAPTABLE



cod. 0000/0514

adapt. 004

TIMEPRO®



TECNOZOO ADAPTABLE



cod. 0000/0517

adapt. 005/AC

TIMEPRO®



TECNOZOO ADAPTABLE



cod. 0243/1000

adapt. M2K002 \ 004

TIMEPRO®



TECNOZOO ADAPTABLE



WAIKATO ADAPTABLE / GEA-WESTFALIA ADAPTABLE

cod. 0000/0718
adapt. SUPALINER LB \ 39800904

TIMEPRO®



cod. 0000/0144
adapt. 7022.2725.010

TIMEPRO®




cod. 0000/0153
adapt. 7022.2725.150

TIMEPRO®




cod. 0000/153SL
adapt. 7022.2725.150

SILICONE



cod. 0000/0169
adapt. 7021.2725.110

TIMEPRO®



GEA-WESTFALIA ADAPTABLE

cod. 0000/169SL

adapt. 7021.2725.110

SILICONE



WESTFALIA ADAPTABLE



cod. 0000/0193

adapt. 7022.2725.130

TIMEPRO®



WESTFALIA ADAPTABLE



cod. 0000/0214

adapt. 7023.2725.060

TIMEPRO®




WESTFALIA ADAPTABLE



cod. 0000/0215

adapt. 7021.2725.030

TIMEPRO®



WESTFALIA ADAPTABLE



cod. 0000/0215M

adapt. 7021.2725.030

TIMEPRO®



WESTFALIA ADAPTABLE




GEA-WESTFALIA ADAPTABLE

cod. 0000/215MSL

adapt. 7021.2725.030

SILICONE



WESTFALIA ADAPTABLE



cod. 0000/0329

adapt. 7021.2725.220 \ 7021.2909.160

TIMEPRO®



WESTFALIA ADAPTABLE



cod. 0000/0334

adapt. 7021.2725.070

TIMEPRO®



WESTFALIA ADAPTABLE



cod. 0000/0449

adapt. 7021.2725.040

TIMEPRO®



WESTFALIA ADAPTABLE



cod. 0000/0531

adapt. 7021.2725.230

TIMEPRO®



WESTFALIA ADAPTABLE



GEA-WESTFALIA ADAPTABLE

cod. 0000/0559

adapt. 7023.2725.100 \ 7023.2725.120 \ 7023.2725.070

TIMEPRO®



WESTFALIA ADAPTABLE



cod. 0000/0560

adapt. 7023.2725.110

TIMEPRO®



WESTFALIA ADAPTABLE



cod. 0000/0610

adapt. 7029.2725.010

SILICONE



WESTFALIA ADAPTABLE



cod. 0000/V610

adapt. 7029.2725.010

SILICONE




WESTFALIA ADAPTABLE



cod. 0000/0615

adapt. 7021.2725.240

TIMEPRO®



WESTFALIA ADAPTABLE



GEA-WESTFALIA ADAPTABLE

cod. 0000/0616
adapt. 7021.2725.270

TIMEPRO®



WESTFALIA ADAPTABLE

cod. 0000/0658
adapt. 7021.2725.350

TIMEPRO®



WESTFALIA ADAPTABLE

cod. 0000/V698
adapt. 7029.2725.000

SILICONE



WESTFALIA ADAPTABLE

cod. 0450/0001
adapt. 7027.2725.010

SILICONE



WESTFALIA ADAPTABLE

cod. 0450/0011
adapt. 7027.2725.020

SILICONE



WESTFALIA ADAPTABLE

Our spare parts are NOT ORIGINAL but interchangeable. Original numbers and descriptions used in this catalogue are for reference purpose only.



Sheep & Goats milking liners

Silicone, gentle performance.

Silicone liners for sheep & goats guarantee an extremely gentle milking thanks to the softness of the material and its hygienic composition.

The washing and sanitising of silicone liners take place at high temperatures $>100^{\circ}\text{C}$.

**The average life is
1,500 milkings hours.**



spaggiari

*Spaggiari items are NOT original but interchangeable. References to other manufacturers by their company names, trademarks or product references are for the item identification purposes and adaptability OF SPAGGIARI'S SPARE PARTS with such products and does not indicate that Spaggiari has received approval from or the authorization of such third parties to produce or distribute such products. Trademarks, company names and products (not Spaggiari), are property of their respective owners and used in compliance to art. 21 clause 1 c) CPI.

*I prodotti Spaggiari sono parti di ricambio adattabili. Qualsiasi riferimento ad altri nomi di produttori originali, marchi e nomi di prodotti originali o riferimenti è da intendersi ai fini di identificare la compatibilità della parte di ricambio Spaggiari con detti prodotti e non implica che Spaggiari abbia ricevuto l'approvazione o autorizzazione da detti produttori originali a produrre e distribuire detti prodotti. Marchi e nomi di prodotti non Spaggiari, sono da intendersi proprietà degli stessi ed utilizzati come solo riferimento in conformità Art. 21 comma 1 c) CPI.

Sheep & Goats milking liners.

cod. 0000/0520

adapt. 961403-01 DELAVAL - ALLMATIC

SILICONE




cod.
2200/0500



cod. 0000/0522

adapt. 961403-01 DELAVAL

TIMEPRO®



cod. 2200/0500



cod. 0000/0527

adapt. 961430-01 DELAVAL - ALLMATIC

TIMEPRO®



cod. 2200/0499



cod. 0000/527SL

adapt. 961430-01 DELAVAL - ALLMATIC

SILICONE



cod.
2200/0499



cod. 0000/0584

adapt. 986836-02



SILICONE

300 mm

ø 19
mm

ø 14,5
mm

ø19 mm

cod.
2200/3206



cod. 0000/0653

adapt. 988513-01 DELAVAL- ALLMATIC \ MANUS 901299-01



TIMEPRO®

151 mm

ø 21
mm

ø 24
mm

ø30 mm



cod. 0000/653SL

adapt. 988513-01 DELAVAL- ALLMATIC



SILICONE

151 mm

ø 21
mm

ø 24
mm

ø30 mm



cod. 0000/673SL

adapt. 988513-01 DELAVAL- ALLMATIC



SILICONE

151 mm

ø 18
mm

ø 24
mm

ø30 mm



cod. 0000/0398

adapt. 20236 FULLWOOD



SILICONE



cod.
2200/0302



cod. 0395/0005

adapt. FULLWOOD \ 20160



SILICONE



cod.
2200/3209



cod. 0000/0524

adapt. 20150 FULLWOOD



SILICONE



cod.
2200/3209



To ensure optimal performance of the silicone liners we highly recommend using plastic shells and claws with plastic pipes to minimize the risk of the surfaces being damaged by inaccurate finish of the inox stainless steel materials.

cod. 0056/0002

adapt. FULLWOOD \ 020141



SILICONE



cod.
2200/3211



cod. 0000/0292

adapt. 381448 GASCOIGNE MELOTTE



TIMEPRO®



cod. 0000/0204

adapt.965143 MANUS



TIMEPRO®



cod. 0000/695SL

adapt. 25200138 S.A.CHRISTENSEN



SILICONE



cod.
2200/3209



cod. 0000/0385

SPAGGIARI



TIMEPRO®



cod.
2200/0302



cod. 0000/0386

SPAGGIARI



TIMEPRO®



cod.
2200/0303




cod. 0000/0300L

SPAGGIARI



SILICONE



cod.
2200/0302



cod. 0000/0301A

SPAGGIARI



SILICONE



cod.
2200/0303



cod. 0509/0001

SPAGGIARI



SILICONE



cod. 2200/3215



NEW

cod. 0000/0291

adapt. 7036.2725.060 GEA-WESTFALIA



TIMEPRO®



cod. 0000/0679

adapt. 7036.2725.170 GEA-WESTFALIA



SILICONE



cod. 0000/0688

adapt. 7036.2725.140 GEA-WESTFALIA



SILICONE



***Silicone, gentle
performance.***

 **spaggiari**



Liner accessories & Shells


The finishing of the products is an all-important feature that guarantees quality and reliability to the milking.

A badly finished shell could lead to slits on the milking teats (especially those made of silicone) and as a result facilitate the infiltration of bacteria in the milking system.



A wide range of liner accessories for the care of your milking liners!

Liner accessories.



STOPPER PROTECTOR GLASS			
code	length (mm)	ø A (mm)	ø B (mm)
0000/0372	56	19	26
0484/0002	88	16	38
0000/BL683	45	12	18
0000/0546	42	18	19
0000/0547	42	20	21
2200/0019	50	15	27
2200/0844	51	19	27.5

Stopper.

This is the element that substitutes the udder when it cannot be used.

Protector.

The protector safeguards the part of the teat subject to the greatest chemical stress and from being trod on by the cows.

The inner conical section makes it adaptable to the majority of the liners on sale.

Glass.

The flow of milk between the short liner and milk tube can be seen through the viewer or glass.

Y	
code	ø A
2200/0208	ø 8 mm x 8 mm x 8 mm
2200/0209	ø 10 mm x 10 mm x 10 mm
2200/0210	ø 12 mm x 12 mm x 12 mm
2200/0211	ø 14 mm x 14 mm x 14 mm
2200/0212	ø 16 mm x 16 mm x 16 mm
L	
code	ø A ø B
2200/0213	ø5 x 8
2200/0214	ø6 x 10
2200/0215	ø8 x 12
2200/0216	ø10 x 14
2200/0217	ø12 x 16



0000/0372



0484/0002



0000/BL683



0000/0546




0000/0547



2200/0019



2200/0844



Shells.

SHELLS					
code	adaptable	A (mm)	ø B (mm)	ø C (mm)	ø D (mm)
2200/0302	SPAGGIARI	130	48	20	10
2200/0303	SPAGGIARI	102	34	16	10
2200/0499	DELAVAL 941404-02	130	43	24	12
2200/0500	DELAVAL 941404-02	104	25	23	10
2200/3206	SPAGGIARI	110	39	18	11
2200/3209	SPAGGIARI	106	42	21.6	11
2200/3211	SPAGGIARI	135	40	22.5	10
2200/3215	SPAGGIARI	125	44	23	11



2200/0302




2200/0303



2200/3206



2200/3209



2200/0499



2200/0500



2200/3211



2200/3215

Product features:

- Extremely transparent
- Absolutly essential for a correct milk-flow
- Unbreakable



Jetter cups Sprayers Deviators

The **high quality** of the raw materials used and the unparalleled working process guarantees optimum resistance to the acids during the washing cycle.

The **softness** of the mix ensure perfect adhesion to the liner.



Thanks to our formulation, the jetter cups can be used with coloured and transparent components with **no staining!**

Jetter cups.

JETTER CUPS		
code	adaptable	ø A (mm)
0000/0145	GASCOIGNE MELOTTE MK2	45
0000/0179	GASCOIGNE MELOTTE 381112	60
0000/0180	GASCOIGNE MELOTTE 381359	55
0000/0181	GASCOIGNE MELOTTE 381354	62
0000/0188	GASCOIGNE MELOTTE MK1	38
0000/0250	/	41.5
0000/0293	MANUS 966077	52
0000/0294	MANUS 965946	63
0000/0296	DELAVAL 7271362	60
0000/0312	DELAVAL 70290921	44
0000/0313	DELAVAL 966745-80	69
0000/0420	120115	62
0000/0494	MANUS 966077-01	55
0000/0495	MANUS 965946-01	63
0000/0537	DELAVAL 961407	40.5
0000/0579	/	44
0000/0605	DELAVAL 999413-02	59
0000/605SL	DELAVAL 999413-02	59
0000/0624	BOUMATIC* 8503023	50
0000/0715	907429-01	57.7
0000/0729	BOUMATIC*/AFI	50



0000/0145



0000/0179



0000/0180



0000/0181



0000/0188



0000/0250



0000/0293



0000/0296



0000/0312





0000/0313



0000/0420



0000/0494



0000/0495



0000/0537



0000/0579



0000/0605



0000/605SL



0000/0624



0000/0715



0000/0729

LOWER
BACTERIAL
CHARGE

- A specific shape for each milking liner
- Certified for food contact



These articles are made with a food special compound designed to be acid-proof.



Customizable item in shape, size, color, hardness of material, packaging and company brand with a minimum order of 2,000 pieces.



Spaggiari recommends the jetter cups replacement one a year.



Sprayers.

SPRAYERS		
ø A ø B	code	color
ø23.5 x 12	2200/0008	blue
ø22 x 12	2200/0009	blue
ø24.5 x 12	2200/A008	light blue
ø20 x 12	2200/3216	blue



Distributors.

DISTRIBUTORS		
ø A ø B	code	type
ø16 x 9.5	2200/0195	
ø16 x 9.5	2200/195F	with vent \ forato
ø15.5 x 10	2200/0207	
ø15.5 x 10	2200/207F	with vent \ forato




Short tubes

A wide product range of short milk and air tubes to fit all applications.



 **spaggiari**

Short tubes.



PULSATION - RUBBER				
code	$\varnothing A$ (mm)	$\varnothing B$ (mm)	length (mm)	item picture
0000/0580	7.5	14.5	205	
0000/0581	7.5	14.5	230	
0000/AR580	7.5	14.5	205	
0000/AR581	7.5	14.5	230	
0000/BL580	7.5	14.5	205	
0000/BL581	7.5	14.5	230	
0000/RO580	7.5	14.5	205	
0000/RO581	7.5	14.5	230	
0000/VE580	7.5	14.5	205	
0000/VE581	7.5	14.5	230	
0243/0039	6	13	230	
0243/0049	6	13	230	
0243/A039	6	13	230	
1100/0120	7	14	180	
1100/0122	7	14	205	
1100/0125	7	14	230	
1100/0127	7	14	270	



PULSATION - RUBBER & SILICONE				
code	ø A (mm)	ø B (mm)	length (mm)	item picture
1100/0128	7	14	250	
1100/0131	7.6	14.5	180	
1100/B131	7.6	14.5	180	
1100/0132	7.6	14.5	205	
1100/B132	7.6	14.5	205	
1100/0134	7	14	155	
1100/0136	7.6	14.5	230	
1100/B136	7.6	14.5	230	
1100/0137	7.6	14.5	165	
1100/0143	7	14	300	
1100/B147	7.6	14.5	265	
2200/T122	7	13.5	205	
2200/T125	7	13.5	230	
2200/T127	7	13.5	270	
2200/T222	8	14	205	
2200/T225	8	14	230	
2200/T227	8	14	270	

Milk tubes.



MILK					item picture
code	ø A (mm)	ø B (mm)	length (mm)	adaptable	
0000/0042	8.5	16	150	/	
0000/0059	8	18	150	/	
0000/0059W	8.5 10	18	150	/	
0000/0234	8.5	18	180	/	
0000/0234W	8.5 10	10	180	/	
0000/0310	9	16	150	/	
0000/0311	9	16	180	/	
0000/0476	11 12	21	130	7021.7101.040	
0000/0490	11 12	21	160	7021.7101.050	
0000/0513	8.5 9.5	18	140	7021.7101.000	
0000/0516	8.5 9.5	18	180	7021.7101.010	
0000/0533	8	15	300	985880 DELAVAL	
0000/533SIL	8	15	300	985880 DELAVAL	
0000/0553	10	18	140	7021.7101.020	
0000/0554	10	18	160	7021.7101.030	
0000/0564	10	18	180	7021.7101.090	
0000/K046	8	14.5	300	961406-02	

Tubes

Tubes manufacturing for air & milk flow.

Single, twin and three-way.
Rubber, silicone and transparent.
Spiralled, lined and for robot machines.

High and long lasting resistance.

Conform for food contact.
Available in different sizes and colours.

 **spaggiari**



O-Pure

Do you already know O-Pure?

O-Pure is the co-extruded tube that combines the advantages of two compounds produced together.

Externally even more resistant to the aggressive conditions found in a cowshed.


A Double internal food-grade layer conforming to the BfR (European) standards.

BfR

Soft natural pulse tubing.

AIR PASSAGE			
ø A ø B (mm)	code	length (mt)	line color
ø 7 x 13.5	1100/0119S	50	/
ø 7 x 13.5	1100/0120S	180	/
ø 7 x 13.5	1100/0121S	200	/
ø 7 x 13.5	1100/0122S	220	/
ø 7 x 13.5	1100/0125S	230	/


NEW



spaggiari



Single rubber tube.




AIR PASSAGE			
ø A ø B (mm)	code	length (mt)	line color
ø 7 x 13	1100/B1188	50	
ø 7 x 14	1100/0118	50	
ø 7 x 14	1100/B118	50	
ø 7 x 14	1100/V118	50	
ø 7.6 x 14.5	1100/0149	50	
ø8 x 16	1100/0003	50	
ø9,5 x 19	1100/0004	35	
ø9,5 x 19	1100/B004	35	
ø11 x 21	1100/0005	35	
ø11x 21	1100/B005	35	
ø13 x 23	1100/0006	35	
ø13 x 23	1100/B006	35	

MILK FLOW			
ø A ø B (mm)	code	length (mt)	line color
ø6,4 x 13,5	2200/EP06	50	
ø8 x 16	2200/EP08	25	
ø9,5 x 16	2200/EP09	50	
ø10 x 19	2200/EP10	25	
ø12 x 22	2200/EP12	20	
ø13 x 23	2200/EP13	20	
ø14 x 25	2200/EP14	20	
ø14 x 25	2200/EPA14	20	
ø14 x 25	2200/EPW14	20	
ø14 x 25	2200/EPB14	20	
ø15 x 26	2200/EPB15	20	
ø15 x 26	2200/EP15	20	
ø16 x 27	2200/EPB16	20	
ø16 x 27	2200/EPW16	20	
ø16 x 27	2200/EPA16	20	
ø16 x 27	2200/EP16	20	
ø18 x 30	2200/EPB18	25	
ø19 x 32	2200/EP19	15	
ø20 x 32	2200/EPB20	20	
ø22 x 37	2200/EP22	15	
ø24 x 38	2200/EP24	15	
ø29 x 46	2200/EP29	15	no line

AVAILABLE COLOUR VARIATIONS



Twin rubber tube.



AIR PASSAGE			
ø A ø B (mm)	code	length (mt)	line color
ø 7 x 13	1100/B1199	35	
ø 7 x 13	1100/V1199	35	
ø 7 x 14	1100/0119	35	
ø 7 x 14	1100/B119	35	
ø 7.6 x 14.5	1100/B148	35	
ø 7.6 x 14.5	1100/0148	35	

AVAILABLE COLOUR VARIATIONS




Three-ways rubber tube.


AIR PASSAGE & MILK FLOW				
ø A ø B (mm)	ø C ø D (mm)	code	length (mt)	adaptable
ø16 x 26	ø7 x 13	2200/0704	20	ADF



AIR PASSAGE & MILK FLOW				
ø A ø B (mm)	ø C ø D (mm)	code	length (mt)	line color
ø7 x 14	ø14 x 25	1100/TRI1	20	white
ø7 x 14	ø16 x 26	1100/TRI2	20	white



Plastic tube for detergent passage (NOT INCLUDED)



The triple tube comprises a section to transport the milk and another two to convey the air.

With this **union** there is no need to add any tube rings to keep the tubes together.


This is particularly handy for first installations and for all those who prefer changing all the tubes together without having to evaluate their time of use case by case.



The usage temperature of black rubber tubes is: -25°C + 110°C

Silicone tube

Single



AIR PASSAGE			
ø A ø B (mm)	code	length (mt)	tube color
ø7 x 13	2200/0174	25	white
ø8 x 15	2200/0175	25	white
ø9 x 16	2200/0194	25	white
ø10 x 18	2200/0172	25	white
ø12 x 21	2200/0197	20	white
ø13 x 23	2200/0193	20	white
ø14 x 25	2200/0169	20	white
ø14 x 25	2200/B014	20	blue
ø15 x 26	2200/AZ15	20	light blue
ø15.5 x 26	2200/AZ115	20	light blue
ø16 x 27	2200/0164	20	white
ø16 x 27	2200/B016	20	blue
ø16 x 27	2200/V016	20	green
ø18 x 30	2200/0159	15	white
ø18 x 30	2200/B018	15	blue
ø19 x 32	2200/0171	15	white
ø19 x 32	2200/B019	15	blue



The **high elasticity of the material** makes it ideal for absorbing vibrations, knocks and stress due to the movement of the units during milking.

The single silicone tube is made in accordance with the BfR (European) and FDA (American) food standards.

AVAILABLE COLOUR VARIATIONS



Twin

AIR PASSAGE			
ø A ø B (mm)	code	length (mt)	tube color
ø7mm x 14mm	2200/0205	25	white
ø7mm x 14mm	2200/B714	25	blue



Three-ways

AIR PASSAGE & MILK FLOW				
ø A ø B (mm)	ø C ø D (mm)	code	length (mt)	tube color
ø7,6 x 14	ø16 x 26	2200/TRIS2	20	white



The usage temperature of silicone tubes is: -30°C + 150°C

Transparent tube

Single

AIR PASSAGE		
ø A ø B (mm)	code	length (mt)
ø6 x 12	2200/M006	30
ø7 x 13.5	2200/M007	30
ø7.6 x 14.6	2200/M076	30
ø8 x 15	2200/M008	30


MILK FLOW		
ø A ø B (mm)	code	length (mt)
ø12.7 x 21	2200/M013	30
ø12.7 x 21	2200/M013-2	1
ø14 x 23	2200/M014-4	25
ø14.5 x 24.5	2200/M014	30
ø15.5 x 25	2200/M016-4	30
ø16 x 26	2200/M016	30
ø19 x 32	2200/M019	20
ø25 x 37	2200/M025	15

This is the most economically convenient solution to transport milk.

The Spaggiari formulation has been specifically developed to **resist to the aggression of milk acids and is free from phthalates** (DEHP – plasticisers which are harmful to man). Thanks to the transparency of the material it is easy to visually check the flowing of milk during milking.



Twin

AIR PASSAGE & MILK FLOW			
ø A ø B (mm)	ø C ø D (mm)	code	length (mt)
ø6.5 x 13	ø12.5 x 21	2200/0152	50
ø7.5 x 14.5	ø13.5 x 23	2200/0231	25
ø7.5 x 14.5	ø14.5 x 24.5	2200/0153	50
ø7 x 13	ø7 x 13	2200/MG07	30
ø7.6 x 14.6	ø7.6 x 14.6	2200/MG76	30
ø8 x 14	ø8 x 14	2200/MG08	30



Three-ways



AIR PASSAGE & MILK FLOW			
ø A ø B (mm)	ø C ø D (mm)	code	length (mt)
ø7 x 14	ø14 x 23	2200/0151	50



● 100% phthalate free!



- Flexible and elastic
- Formulation studied specifically for a superior performance in the cowshed



The usage temperature of silicone tubes is: -20°C + 80°C

Our spare parts are NOT ORIGINAL but interchangeable. Original numbers and descriptions used in this catalogue are for reference purpose only.

Armoflex spiralled tube.

ARMOFLEX			
ø A ø B (mm)	code	length (mt)	line color
ø25 x 33	2200/MET1	60	blue
ø30 x 39	2200/MET2	60	blue
ø32 x 41	2200/MET3	60	blue
ø40 x 49.5	2200/MET4	30	blue
ø50 x 60	2200/MET5	30	blue
ø60 x 72	2200/MET6	30	blue
ø38 x 47	2200/MET8	30	blue
ø35 x 44	2200/MET9	60	blue




Plastic tube with galvanised steel spiral incorporated. It is used for the suction and delivery of edible liquids.

The usage temperature of transparent tubes is: -5°C + 65°C



Vacupress fabric lined tube.

VACUPRESS			
ø A ø B (mm)	code	length (mt)	line color
ø25 x 35.5	2200/VA25	60	white
ø30 x 40.5	2200/VA30	60	white
ø32 x 42.5	2200/VA32	60	white
ø38 x 50	2200/VA38	30	white
ø40 x 52	2200/VA40	30	white
ø50 x 63	2200/VA50	30	white
ø63 x 76	2200/VA63	30	white



Multi-reinforced thermoplastic rubber tube with incorporated galvanised steel spiral and polyester fibre reinforcement.

It is used for the suction and delivery of milk.

The usage temperature of transparent tubes is: -25°C + 80°C



Robot tubes.

ROBOT TUBES					
ø A ø B (mm)	ø C ø D (mm)	code	adapt.	length (cm)	material
ø12 x 22	ø6.5 x 15	2200/0701	LELY	101	silicone
ø12 x 22	ø6.5 x 15	2200/0702	LELY	119	silicone
ø12 x 22	ø6.5 x 15	2200/0703	LELY	75	silicone
ø14 x 25	ø9 x 18	2200/0700	LELY	70	silicone
ø12 x 22	ø6.5 x 15	2200/0705	LELY	200	rubber
ø14 x 25	ø9 x 18	2200/0706	LELY	200	rubber

The usage temperature is: -30°C + 150°C



ROBOT TUBES				
ø A ø B ø C (mm)	code	adapt.	length (mt)	line color
ø11.5 x 20 x 3.5	2200/0603	DELAVAL VMS 917013- 01	25	orange

The usage temperature of is: -25°C + 110°C



Discover all the adaptable items in the robots section!



Precision tube cutters.

The top level in cut precision,
durability
and easy usable.



- Code 2200/0850
- Makes a clean professional cut each time!
- Suitable for tubings up to 32mm diameter.
- Customizable with your Company brand (with a minimum batch)



2200/0850

 **spaggiari**

Tubes Accessories.

COUPLING RINGS PROTECTOR GLASS			
code	internal $\varnothing$ A (mm)	external $\varnothing$ B (mm)	length (mm)
0000/0125	28	40	6
0000/0453	35	47	6
0000/BL125	28	40	6
0000/BL453	35	47	6
2200/0218	*	*	18,7
2200/0219	**	**	20
2200/AR453SL	31	35	1.5
2200/BL453SL	31	35	1.5
2200/GI453SL	31	35	1.5
2200/VE453SL	31	35	1.5
2200/VE460SL	35	40	1.5
2200/BL460SL	35	40	1.5
2200/0850	/	/	/



0000/0125




0000/0453



0000/BL125



0000/BL453



2200/0218



2200/0219



2200/AR453SL



2200/BL453SL



2200/GI453SL



2200/VE453SL



2200/BL460SL



2200/VE460SL


Gaskets

Top quality rubber and silicone gaskets
to achieve a perfect fitting.



 **spaggiari**
rubber professional solutions

Gaskets.



BUCKET GASKETS				
code	adapt.	ø A (mm)	ø B (mm)	C (mm)
0000/0128	DELAVAL 26489	157	203	15
0000/0137	SOCOMA	175	210	6
0000/0138	MIELE	157	190	9
0000/0139	MANUS	173	217	10
0000/0140	F.N.	175	210	8
0000/0158	DELAVAL 958170	157	203	9
0000/0159	FULLWOOD	170	220	12
0000/0161	DELAVAL 20029	145	175	6
0000/0162	MANUS	161	195	6
0000/0163	SAC 11251	180	215	8
0000/0182	GASCOIGNE MELOTTE	163	212	10
0000/0183	FLACO	153	190	5



0000/0128



0000/0137



0000/0138



0000/0139



0000/0140



0000/0158



0000/0159



0000/0161



0000/0162



0000/0163



0000/0182



0000/0183

BUCKET GASKETS				
code	adaptable	ø A (mm)	ø B (mm)	C (mm)
0000/0198	GASCOIGNE MELOTTE 242030	292	316	8
0000/0246	MIELE	155	201	10
0000/0271	SAC 11250	/	/	/
0000/0273	WESTFALIA 0007.2025.710	115	210	/
0000/0285	DELAVAL 27315	195	225	15
0000/0295	GASCOIGNE MELOTTE	222	245	10
0000/0309	WESTFALIA 0007.3030.710	164	198	6
0000/0341	WESTFALIA 0007.3030.710	160	195	9
0000/0484	MIELE	163	212	10
0002/0016	WESTFALIA 0007.2026.710	162	195	/
0015/0001	GASCOIGNE MELOTTE	162	198	7
0015/0003	WESTFALIA	160	198	/



0000/0198



0000/0248



0000/0271



0000/0273



0000/0285



0000/0295



0000/0309



0000/0341



0000/0484



0002/0016




0015/0001



0015/0003

BUCKET GASKETS				
code	adaptable	ø A (mm)	ø B (mm)	C (mm)
0021/0014	NATIONAL	100	135	8
0058/0001	ITALIAN STYLE	168	205	7
0058/0011	ITALIAN STYLE	166	260	/
0058/0012	ITALIAN STYLE	160	224	/



0021/0014



0058/0001




0058/0011



0058/0012

DRUM GASKETS				
code	capacity (lt)	ø A (mm)	ø B (mm)	C (mm)
0000/0719	/	180	280	/
0000/0017	30	173	194	10
0000/0018	30 "BIG"	171	197	10
0000/0019	50	188	215	10
0000/020	50 "SANSONE"	210	235	11
0000/0021	50 "BIG"	186	215	10
0000/0026	20	140	160	10



0000/0719



0000/0017
0000/0018
0000/0019
0000/0020
0000/0021
0000/0026

CLAW GASKETS				
code	adaptable	ø A (mm)	ø B (mm)	C (mm)
0000/0185	GASCOIGNE MELOTTE T24221	96	112	6
0000/0209	FULLWOOD	/	/	/
0000/0274	GASCOIGNE MELOTTE T242054	89	106	7.5
0000/0275	GASCOIGNE MELOTTE T242053	/	/	5.5
0000/0421	DELAVAL 960521-01	61	72	5.5
0000/0480	MANUS 968501-01	/	31	/
0000/0608	D382741	/	/	/
0000/0614	DELAVAL 960521-02	/	/	/



0000/0185



0000/0209



0000/0274



0000/0275



0000/0421



0000/0480



0000/0608



0000/0614

VACUUM TANK GASKETS				
code	adaptable	ø A (mm)	ø B (mm)	C (mm)
0059/0045	DELAVAL 951783	178	216	23



PIPETTE FOR VACUUM POINT	
code	adaptable
0000/0676	DELAVAL 968370-01



TAP GASKETS				
code	adaptable	ø A (mm)	ø B (mm)	length (mm)
0000/0472	DELAVAL 965423	31	/	14.5
0000/0473	DELAVAL 968900-01	31	/	12.5
0006/0012	DELAVAL 7029092	16	27	8
0006/0013	DELAVAL 256901	16	28	5
0006/SIL12	DELAVAL 7029092	16	27	8
0006/SIL13	DELAVAL 256901	16	28	5
0006/0018	DELAVAL	18	29	/
0006/0019	DELAVAL 960521-01	22	35	33
0006/0020	DELAVAL	17	35	33
0006/0021	DELAVAL	18	35	33
0006/0022	DELAVAL	18	29	29
0296/0002	FULLWOOD	18	/	/



0000/0472



0000/0473



0006/0012



0006/0013



0006/SIL12



0006/SIL13



0006/0018



0006/0019



0006/0020



0006/0021



0006/0022



0296/0002

Fittings

Elbows, bended elbows, sleeves straight and reduced for a **perfect milking flow**.



Fittings.

ROUNDED CURVES	
ø A ø B (mm)	code
ø29 x 29	0000/0417
ø29 x 39	0415/0004
ø38 x 38	0000/0210

90° CURVES	
ø A ø B (mm)	code
ø16 x 16	0000/0612
ø18 x 18	0408/0002
ø28 x 13	0000/0374
ø35 x 18	0036/0054
ø36 x 36	0000/0423
ø38 x 29	0000/0356
ø38 x 38	0000/0355
ø40 x 33	0000/0582
ø49 x 38	0000/0365
ø49 x 49	0000/0357
ø61 x 49	0000/0411
ø61 x 61	0000/0405
ø73 x 61	0000/0410
ø73 x 73	0000/0406
ø A ø B	cod.
ø29 x 29	0000/0366

SLEEVES	
ø A ø B	code
ø29 x 29	0000/0373
ø36 x 36	0000/0399
ø38 x 38	0000/0369
ø49 x 49	0000/0367
ø61 x 61	0000/0403
ø73 x 73	0000/0404
ø90 x 90	0000/0541
ø110 x 110	0000/0542
ø125 x 125	0000/0543



REDUCED SLEEVES	
$\varnothing A \varnothing B$	code
$\varnothing 38 \times 29$	0000/0370
$\varnothing 49 \times 38$	0000/0368
$\varnothing 61 \times 49$	0000/0442
$\varnothing 73 \times 61$	0000/0457
$\varnothing 90 \times 73$	0000/0538

SLEEVES	
$\varnothing A \varnothing B$	code
$\varnothing 37 \times 23,5$	0000/0384
$\varnothing 37 \times 30,5$	0000/0382
$\varnothing 45 \times 38$	0000/0383
$\varnothing 48 \times 30$	0000/0626
$\varnothing 48 \times 38$	0000/0625



All these items can be used in the joints of the milk-line or as a connection next to the terminal units and the milk pump.

- Ermetic seal
- Flexible
- Certified for food contact



These articles are made with a food special compound designed to be acid-proof.



Customizable item in shape, size, color, hardness of material, packaging and company brand with a minimum order of 2,000 pieces.



Spaggiari recommends the replacement once a year



T CURVES	
$\varnothing A \varnothing B \varnothing C$	code
$\varnothing 30 \times 30 \times 30$	0000/0376
$\varnothing 38 \times 38 \times 38$	0000/0375
$\varnothing 50 \times 50 \times 38$	0000/0392
$\varnothing 50 \times 50 \times 50$	0000/0391
$\varnothing 61 \times 61 \times 61$	0000/0407
$\varnothing 73 \times 73 \times 73$	0000/0431


$\varnothing A \varnothing B \varnothing C$	code
$\varnothing 27 \times 50 \times 14$	0000/0620
$\varnothing 37 \times 50 \times 14$	0000/0621

$\varnothing A \varnothing B \varnothing C$	code
$\varnothing 16 \times 16 \times 29$	0000/0634



MILK JAR ENTRY SLEEVES	
$\varnothing A \varnothing B$	code
$\varnothing 43 \times 38$	0000/0448
$\varnothing 59 \times 40$	0000/0412
$\varnothing 59 \times 50$	0000/0413
$\varnothing 76 \times 50$	0000/0686 + 0000/0414
$\varnothing 76 \times 63$	0000/0414
$\varnothing 76 \times 70$	0000/0415
$\varnothing 76 \times 76$	0000/0602

$\varnothing A \varnothing B$	code
$\varnothing 63 \times 50$	0000/0686



Membranes

One of the most important part of milking equipment.

This little item ensures **high responsive to inputs** and extreme reliability in usage.



Spaggiari recommends the membranes replacement once a year.

Membranes.

ADAPTABLE DAIRYMASTER				
code	adaptable	ø A (mm)	ø B (mm)	C (mm)
0000/0276	DAIRYMASTER QM500	5	62	5
0000/0276S	DAIRYMASTER	5	62	5
0000/0277	DAIRYMASTER	6.6	28	/



0000/0276
0000/0276S (SILICONE)

NEW



0000/0277

NEW



ADAPTABLE DELAVAL	
code	adaptable
0000/0173	995298-02 \ 958507-01 PULSATOR HP 102
0000/0252	958689-01 FLOW METER MEMBRANE
0000/0350	959594-01 PULSATOR MEMBRANE
0000/0435	965425-80 DOUVAC MEMBRANE
0000/0650	989917-81 ALLMATIC GOAT MEMBRANE
0000/650SL	989917-81 ALLMATIC GOAT MEMBRANE
0024/0001	967955-01 PULSATOR MEMBRANE EP100
0024/0002	967099-01 PULSATOR MEMBRANE EP100
0024/0003	999261-80 PULSATOR MEMBRANE EP100
0024/0004	967465-01 PULSATOR MEMBRANE EP100
NEW 0000/0736	995298-03 IP102



0000/0173



0000/0252



0000/0350



0000/0435



0000/0650



0000/650SL



0024/0001



0024/0002



0024/0003



0024/0004



0000/0736

NEW



ADAPTABLE GASCOIGNE MELOTTE

code	adaptable
0000/0593	3816667 PULSATOR MEMBRANE
0000/0593-1	3816667 PULSATOR MEMBRANE
0000/0594	381672 PULSATOR MEMBRANE
00000/0613	D 255654 PULSATOR MEMB. LECTRON TL



0000/0593



0000/0593-1



0000/0594



0000/0613

ADAPTABLE WESTFALIA

code	adaptable
0000/0512	004.2304.890 "METATRON"
0000/0651	7161.1702.040 FLOW METER "VACUSTOP"



0000/0512



0000/0651

The membrane is an **extremely important part of the milking parlour**; its swing as a pulse regulator, must be elastic and precise to ensure the best performance.

- Reliable
- Flexible
- Certificated for food contact



Costumizable item in shape, size, color, hardness of material and packaging



Spaggiari recommends the replacement once a year.



Stoppers & Spheres



Stoppers.

**TOTAL
PROTECTION
FROM THE
EXTERNAL
ENVIRONMENT**

STOPPERS FOR STEEL TUBES		
ø A (mm)	code	length (mm)
ø32	0000/0260	38
ø38	0000/0186	37
ø50	0000/0187	48
ø63	0000/0308	47
ø73	0000/0307	45
ø A ø B (mm)	code	length (mm)
ø32 x 29	0000/0362	38
ø35 x 39	0000/0363	48
ø46 x 52	0000/0364	49
ø A ø B (mm)	code	length (mm)
ø32 x 16	0016/0320	38
ø38 x 16	0016/0316	37
ø50 x 16	0016/0317	38
ø63 x 16	0016/0318	44
ø76 x 16	0016/0319	42

The soft rubber stoppers fit perfectly to the various steel or plastic pipe lines which may be present in the milking parlour by sealing the holes in a perfect way.

This allows a total isolation of the tubing from the external environment.



CUSTOMIZABLE

Customizable item in shape, size, color, hardness of material and packaging.

1 YEAR

Spaggiari recommends the replacement once a year.

spaggiari
rubber professional solutions

CLAW STOPPERS			
code	adaptable	ø A (mm)	ø B (mm)
0000/0217	DELAVAL 960207-01	/	30
0000/0239	GASCOIGNE MELOTTE	/	/
0000/0249	DELAVAL 956950	/	28
0000/0315	FULLWOOD	/	80
0000/0339	GASCOIGNE MELOTTE	22	30
0000/0585	/	/	14
0000/0592	DELAVAL 955458	/	32
0000/0603	DELAVAL 961037-01	23	/
2200/0127	DELAVAL 959119	/	/
2200/0128	DELAVAL 953344	/	/



0000/0217
Adapt. Delaval 960207-01



0000/0239
Adapt. GM



0000/0249
Adapt. Delaval 956950



0000/0315
Adapt. Fullwood



0000/0339
Adapt. GM



0000/0585



0000/0592
Adapt. Delaval 955458



0000/0603
Adapt. Delaval 961037-01



2200/0127
Adapt. Delaval 959119



2200/0128
Adapt. Delaval 953344

STOPPERS FOR PORTABLE MILKING MACHINES

ø A	code
ø26	0055/0004
ø30	0055/0005

SPHERES

ø A	code
ø12	2200/0089
ø20	2200/0022
ø22	2200/0032
ø25	2200/0025
ø30	2200/0031
ø35	2200/0037
ø80	2200/0080



- Insulation
- Wide range
- Certified for food contact



We offer a wide range of similar products with different diameters in order to meet the specific needs of each installation milking, from the smallest to the largest ones.

Valves

Non return,
piston and
butterfly valves.



 **spaggiari**
rubber professional solutions

Valves.

NON-RETURN VALVES				
code	adaptable	ø A (mm)	ø B (mm)	C (mm)
0000/0176	GASCOIGNE MELOTTE 381061	/	50	/
0000/0177	DELAVAL MILK PUMP FMP 55	/	42	/
0000/177TN	957859-01	31	40	1
0000/0178	FULLWOOD 35227	/	41	/
0000/0242	DELAVAL	30	44	6
0000/0251	GASCOIGNE MELOTTE	30	43	5.5
0000/0328	WEICROFT MACFORD	/	45	/
0000/0337	DELAVAL 952701	53	62	/
0000/0354	GASCOIGNE MELOTTE	/	42	/
0000/0390	MIELE 1311211	30	39	/
0000/0469	WESTFALIA 7047.1935.020	40	50	5
0000/0498	DELAVAL 967164	/	48	/
0000/0498-1	DELAVAL 967164	100	135	8
0000/0649	BOUMATIC*	168	205	7



0000/0176



0000/0177



0000/177TN



0000/0178



0000/0242



0000/0251



0000/0328



0000/0337




0000/354



0000/0390



0000/0469



0000/0498



0000/0498-1



0000/0649



BUTTERFLY VALVES	
code	ø A (mm)
2200/0132	38
2200/0131	50




2200/0132



2200/0131



PISTON VALVES			
code	adaptable	ø A (mm)	ø B (mm)
0000/0617	GASCOIGNE MELOTTE	6	19



0000/0617



spaggiari



Filters

The filters have been conceived and created with materials developed specifically for filtering milk.

The main feature is to filter **foreign bodies** even with a high liquid flow.



REPLACE IT TO
PRESERVE
HYGIENE &
MILK QUALITY
!


Spaggiari recommends to replace the filter at each milking cycle!

Sock filters.



SOCK FILTERS			
dimensions (mm)	code	box pcs	package pcs
250 x 57	2200/0801	250	100
250 x 76	2200/0802	/	100
270 x 70	2200/0803	/	100
295 x 76	2200/0804	/	100
320 x 57	2200/0805	250	100
320 x 76	2200/0806	/	100
386 x 114	2200/0807	/	100
450 x 85	2200/0810	250	100
455 x 76	2200/0809	250	100
460 x 63	2200/0812	/	100
465 x 57	2200/0811	250	100
480 x 100	2200/0813	/	100
500 x 57	2200/0814	250	100
510 x 110	2200/0818	/	100
530 x 57	2200/0815	250	100
530 x 76	2200/0816	/	100
560 x 76	2200/0817	/	100
570 x 44	2200/0845	/	100
600 x 57	2200/0819	250	100
610 x 95	2200/0820	200	100
610 x 107	2200/0821	/	100
610 x 150	2200/0822	/	100
620 x 57	2200/0823	250	100
620 x 62	2200/0824	250	100
620 x 76	2200/0825	250	100
635 x 124	2200/0826	/	100
660 x 76	2200/0827	/	100
660 x 154	2200/0828	/	100
670 x 147	2200/0829	/	100
760 x 150	2200/0830	/	100
810 x 76	2200/0831	250	100
850 x 124	2200/0832	/	100
920 x 110	2200/0833	/	100

We can guarantee a millimetric precision seam that ensures excellent resistance to breakage even when pressure reaches high levels.



- Wide range of sizes
- Precision sewn seams
- Totally manufactured in Italy
- Material conformed to get in contact with food



Spaggiari recommends the filter replacement at each milking cycle.

Round filters.

ROUND FILTERS			
ø A	code	box pcs	package pcs
ø120	2200/0834	250	100
ø165	2200/0835	250	100
ø180	2200/0836	250	100
ø190	2200/0837	250	100
ø200	2200/0838	250	100
ø220	2200/0839	250	100
ø240	2200/0840	250	100
ø320	2200/0841	250	100



spaggiari

The filter's microscopic structure has been designed to achieve the **best ratio** between retention of foreign bodies and outflow of milk.





Flowmeter Kit

Rubber and silicone interchangeable spare parts to maintain top milk meters performances and a perfect management of the herd.




Flowmeter kit



ADAPTABLE FOR AFIFLO 2000			
code	ø A (mm)	ø B (mm)	C (mm)
0510/0001	/	50	/
0510/0003	65	86	/
0510/0009	24	34	52
0510/0010	103	120	14.5

TECHNICAL DRAWING (FOR REFERENCE PURPOSE ONLY)



COMPLETE KIT PICTURE



Separately are also available the items you see below.

code	A (mm)	ø B (mm)
0510/0002	6	26.6
0510/0011	/	53



0510/0002




0510/0011

Flowmeter kit



ADAPTABLE FOR FLOWMASTER PRO MM15			
code	ø A (mm)	ø B (mm)	C (mm)
0510/0004	38	50	13.8
0510/0005	4.5	26.13	21
0510/0006	53	58	/
0510/0007	24.2	56	19
0510/0008	118.5	127	8

TECHNICAL DRAWING (FOR REFERENCE PURPOSE ONLY)



COMPLETE KIT PICTURE



Separately are also available the items you see below.

code	ø A (mm)	ø B (mm)	
0000/0676	/	/	/
2027/0001	20	36	520



0000/0676




2027/0001

Flowmeter kit

ADAPTABLE FOR PULSAMETER 2			
code	ø A (mm)	ø B (mm)	C (mm)
0000/0707	5	63	6
0000/0708	/	48	6
0000/0709	18	45	3.5
0000/0710	210	218	7
0000/0711	2.8	13	4.2
0000/0712	20.5	36.5	2.2

TECHNICAL DRAWING (FOR REFERENCE PURPOSE ONLY)



COMPLETE KIT PICTURE



Best
milk
solutions

Robots

Spaggiari is developing a special section of rubber and silicone spare parts dedicated to robot machines.



 **spaggiari**

Robots

adaptable Delaval

cod. 0000/0680

adapt. 927259-01




TIMEPRO®




SHORT TUBE

ø A ø B (mm)	ø C ø D (mm)	code	adapt.	length (cm)
ø10 x 18	ø10 x 18	0000/0720	DELAVAL 907449-03	172 178



ROBOT TUBES

ø A ø B ø C (mm)	code	adapt.	length (mt)
ø11.5 x 20 x 3.5	2200/0603	DELAVAL VMS 917013-01	25



FILTER

dimensions (mm)	code	package pcs
570 x 44	2200/0845	100



Robots

adaptable Lely

cod. 0000/0611
 adapt. LELY

SILICONE




cod. 0000/0735
 adapt. LELY

SILICONE



ROBOT TUBES					
ø A ø B (mm)	ø C ø D (mm)	code	adapt.	length (cm)	material
ø12 x 22	ø6.5 x 15	2200/0701	LELY	101	silicone
ø12 x 22	ø6.5 x 15	2200/0702	LELY	119	silicone
ø12 x 22	ø6.5 x 15	2200/0703	LELY	75	silicone
ø14 x 25	ø9 x 18	2200/0700	LELY	70	silicone
ø12 x 22	ø6.5 x 15	2200/0705	LELY	200	rubber
ø14 x 25	ø9 x 18	2200/0706	LELY	200	rubber

The usage temperature is: -30°C + 150°C



SPAGGIARI INDUSTRIA GOMMA

*Spaggiari items are NOT original but interchangeable. References to other manufacturers by their company names, trademarks or product references are for the item identification purposes and adaptability OF SPAGGIARI'S SPARE PARTS with such products and does not indicate that Spaggiari has received approval from or the authorization of such third parties to produce or distribute such products. Trademarks, company names and product (not Spaggiari), are property of their respective owners and used in compliance to art. 21 clause 1 c) CPI.

*I prodotti Spaggiari sono parti di ricambio adattabili. Qualsiasi riferimento ad altri nomi di produttori originali, marchi e nomi di prodotti originali o riferimenti è da intendersi ai fini di identificare la compatibilità della parte di ricambio Spaggiari con detti prodotti e non implica che Spaggiari abbia ricevuto l'approvazione o autorizzazione da detti produttori originali a produrre e distribuire detti prodotti. Marchi e nomi di prodotti non Spaggiari, sono da intendersi proprietà degli stessi ed utilizzati come solo riferimento in conformità Art. 21 comma 1 c) CPI.